









SPORT & ROAD

CRUISER

MICHELIN RANGES	STYLE	PERFORMANCE				
		 LONGEVITY	 WET GRIP	 DRY GRIP	 WET BRAKING DISTANCE	 HANDLING
COMMANDER III CRUISER	CRUISER	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
COMMANDER III TOURING	TOURING	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
COMMANDER II	CRUISER & TOURING	★★★★★	★★★★★	★★★★★	★★★★★	★★★★★
SCORCHER ADVENTURE		<p>MICHELIN SCORCHER, the original equipment codeveloped, homologated and branded by HARLEY-DAVIDSON®</p> <p>Each tire is developed to complement perfectly the HARLEY-DAVIDSON® model it's designed for.</p>				
SCORCHER SPORT						
SCORCHER 11						
SCORCHER 21						
SCORCHER 31						

MICHELIN**COMMANDER III CRUISER****Wet grip, longevity and handling performance
for your cruiser bike****THE BEST IN ITS
CATEGORY ON WET
SURFACES⁽¹⁾**

Exceptional wet grip⁽¹⁾, due to a compound mix incorporating MICHELIN Silica Technology combined with a void ratio 3% higher than that of the MICHELIN Commander II front tire⁽¹⁾.

**EXCELLENT
LONGEVITY**

Longevity continued from the MICHELIN COMMANDER II tire with a new profile improving the contact patch.

**EXCELLENT HANDLING**

MICHELIN Aramid Shield Technology combined with its new profile give the MICHELIN Commander III Cruiser tire enhanced handling when cornering, exceeding that of the MICHELIN Commander II tire⁽¹⁾.



CAN THE MICHELIN COMMANDER III BE MIXED WITH OTHER TIRES?
TO ENSURE THE BEST LEVEL OF PERFORMANCE AND SAFETY, OUR RANGES ARE DEVELOPED BASED ON A UNIFORM FITTING TO THE FRONT AND THE REAR. IT IS THEREFORE RECOMMENDED THAT DIFFERENT RANGES ARE NOT MIXED ON THE SAME MOTORCYCLE.

**IS THERE A SPECIFIC LOAD RECOMMENDATION
FOR MICHELIN COMMANDER III?**

MICHELIN ADVICE TO RESPECT MAXIMUM LOAD RECOMMENDED BY BIKE MANUFACTURER.



OR



OR

**FRONT**

Size	TL/TT	CAI	Tube (CAI)
130/90 B 16 M/C 73H REINF	TL/TT	205341	16MI TALC HD (236127)
			16MI 2171 (099604)
			16MI2 TALC HD (730243)
			16MI2 (959484)
140/75 R 17 M/C 67V	TL	488163	
100/90 B 19 M/C 57H	TL/TT	469040	19MF RED HD (623140)
			19MF (032532)
			19MF HD TALC (554214)
			19MF RED HD (623140)
110/90 B 19 M/C 62H	TL/TT	077968	19MF (032532)
			19MF HD TALC (554214)
			21MD (206108)
			21MD HD TALC (888125)
80/90 - 21 M/C 54H REINF	TL/TT	087823	
90/90 - 21 M/C 54H	TL/TT	838241	

REAR

Size	TL/TT	CAI	Tube (CAI)
140/90 B 15 /C 76H REINF	TL/TT	330228	15MJ (012116)
150/90 B 15 /C 74H	TL/TT	821706	15MJ (012116)
170/80 B 15 /C 77H	TL/TT	307669	15MJ (012116)
180/70 B 15 /C 76H	TL/TT	999381	15MJ (012116)
130/90 B 16 /C 73H REINF	TL/TT	234596	16MI TALC HD (236127)
			16MI 2171 (099604)
			16MI2 TALC HD (730243)
			16MI2 (959484)
140/90 B 16 /C 77H REINF	TL/TT	698455	16MI TALC HD (236127)
			16MI 2171 (099604)
			16MI2 TALC HD (730243)
			16MI2 (959484)
150/80 B 16 /C 77H REINF	TL/TT	797694	16MI TALC HD (236127)
			16MI 2171 (099604)
			16MI2 TALC HD (730243)
			16MI2 (959484)
160/70 B 17 /C 73V	TL/TT	497307	17MI (899702)
200/55 R 17 /C 78V	TL	292667	

⁽¹⁾ Comparative test conducted by MOTORRAD magazine, issue 06/20: The MICHELIN Commander III Cruiser came first in its category on 3 specific criteria on a wet surface: greatest lean angle, shortest braking distance and best lap time. The tyres tested were MICHELIN Commander III Cruiser, METZLER Cruisetec, BRIDGESTONE Battlercruise H50, CONTINENTAL ContiTour, MISTAS Custom Force, PIRELLI Night Dragon GT and DUNLOP D401. This test was carried out in the following dimensions: 130/90 B16 (front) and 150/80 B16 (rear) on a Harley-Davidson FLHCS Heritage Classic 114. The test was carried out at the Bridgestone test facility in Nettuno, near Rome.

MICHELIN**COMMANDER III TOURING****Longevity, wet grip and handling performance
for your touring bike****ENHANCED LONGEVITY**

Longevity continued from the MICHELIN Commander II tire, even with loaded bikes, due to a new compound mix incorporating MICHELIN Silica Technology and optimization of the contact patch.

**IMPROVED GRIP⁽¹⁾**

The MICHELIN Silica Technology provides enhanced wet grip⁽¹⁾ in comparison with the MICHELIN COMMANDER II tire.

**EXCELLENT HANDLING**

MICHELIN Aramid Shield Technology combined with its new profile give the MICHELIN Commander III Touring tire enhanced handling when cornering, exceeding that of the MICHELIN Commander II tire.

**ORIGINAL EQUIPMENT**

BMW: R18, R18 B, R18 CLASSIC, R18 TRANSCONTINENTAL

**IS THERE A SPECIFIC LOAD RECOMMENDATION
FOR MICHELIN COMMANDER III?**

MICHELIN ADVICE TO RESPECT MAXIMUM LOAD RECOMMENDED BY BIKE MANUFACTURER. IF THE VEHICLE IS OVER LOADED (IN REFERENCE OF THE MANUFACTURER RECOMMENDATIONS), TIRE FAILURE AND LOSS OF CONTROL OF THE VEHICLE CAN HAPPEN.



OR



OR

**FRONT**

Size	TL/TT	CAI	Tube (CAI)
130/90 B 16 M/C 73H REINF	TL/TT	833296	16MI2 (959484)
MT90 B 16 M/ 72H	TL/TT	774369	16MI TALC HD (236127), 16MI 2171 (099604), 16MI2 TALC HD (730243), 16MI2 (959484)
130/80 B 17 /C 65H	TL/TT	292316	17MH (166806)
130/70 B 18 /C 63H	TL/TT	530941	18MG (410943)
120/70 R 19 /C 60V	TL/TT	855243	19MF Red HD (623271), 19MF (032532), 19MF HD TALC (554214)
130/60 B 19 /C 61H	TL/TT	281282	19MF (032532)
120/70 B 21 /C 68H REINF	TL/TT	382734	21MF (784762)
MH90 - 21 M/ 54H	TL/TT	568477	21MD (206108), 21MD HD TALC (888125)

REAR

Size	TL/TT	CAI	Tube (CAI)
180/65 B 16 /C 81H REINF	TL/TT	420712	16MJ (043757)
MU85 B 16 M/ 77H REINF	TL/TT	521409	16MI TALC HD (236127), 16MI 2171 (099604), 16MI2 TALC HD (730243), 16MI2 (959484)
180/55 B 18 /C 80H REINF	TL/TT	392099	18MI (920615)

⁽¹⁾ In-house comparison of the MICHELIN Commander II and MICHELIN Commander III Touring ranges conducted on 23/05/2019 at the Fontange track (France) with front dimension 130/80 B17 65 H and rear dimension 180/65 B16 80 H on a HARLEY-DAVIDSON® Electra Glide.

MICHELIN

COMMANDER II

Longevity and handling performance for custom, cruiser and touring bikes



DESIGNED FOR LONG LASTING

The compound mix of the MICHELIN Commander II tire ensures long lasting performance.



BUILT FOR HANDLING AND RIDING ENJOYMENT

The MICHELIN Aramid Shield Technology of the MICHELIN COMMANDER II tire ensures good handling and riding enjoyment.



MICHELIN ADVICE TO RESPECT MAXIMUM LOAD RECOMMENDED BY BIKE MANUFACTURER. IF THE VEHICLE IS OVER LOADED (IN REFERENCE OF THE MANUFACTURER RECOMMENDATIONS), TIRE FAILURE AND LOSS OF CONTROL OF THE VEHICLE CAN HAPPEN.

MICHELIN
CARBON BLACK
TECHNOLOGY



MICHELIN
ARAMID SHIELD
TECHNOLOGY



MICHELIN
RADIAL-X
TECHNOLOGY



OR

MICHELIN
BIAS BELTED
TECHNOLOGY



OR

MICHELIN
BIAS
TECHNOLOGY



FRONT

Size	TL/TT	CAI	Tube (CAI)
130/90 B 16 M/C 73H REINF	TL/TT	465548	16MI2 (959484)
120/90 B 17 M/C 64S	TL/TT	938253	17MH (166806)
130/80 B 17 M/C 65H	TL/TT	701621	16MI2 (959484)
140/80 B 17 M/C 69H	TL/TT	704451	17MI (899702)
110/90 B 18 M/C 61H	TL/TT	440376	18MF (929348)
100/90 B 19 M/C 57H	TL/TT	325101	19MF (032532)
120/70 ZR 19 M/C 60W	TL/TT	540829	
80/90 - 21 M/C 54H REINF	TL/TT	735219	21MD (206108)
90/90 - 21 M/C 54H	TL/TT	999082	21MD (206108)

REAR

Size	TL/TT	CAI	Tube (CAI)
170/80 B 15 M/C 77H	TL/TT	102708	15MJ
130/90 B 16 M/C 73H REINF	TL/TT	155624	16MI2 (959484)
140/90 B 16 M/C 77H REINF	TL/TT	362316	16MI2 (959484)
150/80 B 16 M/C 77H REINF	TL/TT	849199	16MI2 (959484)
180/65 B 16 M/C 81H REINF	TL/TT	152619	
160/70 B 17 M/C 73V	TL/TT	184801	17MI (899702)
150/70 B 18 M/C 76H REINF	TL/TT	323613	
240/40 R 18 M/C 79V	TL	596934	





MICHELIN SCORCHER THE ORIGINAL EQUIPMENT FOR HARLEY-DAVIDSON®

Co-developed, homologated and branded by Harley-Davidson®

Each Michelin and Harley-Davidson® development has its own approach by working in virtual loops very early on, during the design and development phases. Thanks to their respective modeling capabilities, the two entities were able to develop a new range of motorcycles and the ideal tires for it simultaneously, before carrying out a battery of tests to perfect the fit, evaluate other options and finalize convergence. This process of virtual co-design and simulation ensured that each motorcycle and its tires were perfectly matched.





ORIGINAL EQUIPMENT
HARLEY-DAVIDSON®: PAN AMERICA

MICHELIN

SCORCHER ADVENTURE

The custom-designed tire for the first
Harley-Davidson® adventure touring motorcycle



HIGH-SPEED STABILITY

Integration of MICHELIN Aramid Shield Technology and MICHELIN 2CT+ Technology in the rear tire provides a new level of on-road stability.



FRONT

Size	TL/TT	CAI
120/70 R 19 M/C 60V	TL	956700

REAR

Size	TL/TT	CAI
170/60 R 17 M/C 72V	TL	637915



ORIGINAL EQUIPMENT
HARLEY-DAVIDSON®: LIVEWIRE ONE

MICHELIN

SCORCHER SPORT

The tire for Harley-Davidson®'s new
high-performance motorcycles



PERFORMANCE IN WET AND DRY

The most advanced MICHELIN 2CT Technology and MICHELIN 2CT+ Technology ever used in MICHELIN Scorchers tires provide excellent levels of wet and dry grip with wear resistance in the center of the tread and optimized grip on the shoulders.



DESIGNED FOR HANDLING PERFORMANCE

Tuned MICHELIN Radial-X casing for maximum handling performance from Harley-Davidson®'s high performance motorcycles.



FRONT

Size	TL/TT	CAI
120/70 ZR 17 M/C (58W)	TL	475979

REAR

Size	TL/TT	CAI
180/55 ZR 17 M/C (73W)	TL	617337



ORIGINAL EQUIPMENT
HARLEY-DAVIDSON®: BREAKOUT 114
(FXBRS), FAT BOY 114 (FLFBS)

MICHELIN SCORCHER 11

The Original Equipment MICHELIN® tire for optimal handling and outstanding grip on Harley-Davidson® cruiser motorcycles



DESIGNED FOR EXCELLENT GRIP

Semi-slick tread pattern for excellent adhesion on dry roads. Optimized tread groove design for dependable wet grip.



PRECISE HANDLING

The latest generation of MICHELIN radial technology allows for easy maneuverability and impressive agility.



FRONT

Size	TL/TT	CAI
100/80 - 17 M/C 52H	TL	420386
140/75 R 17 M/C 67V	TL	567465
120/70 ZR 18 M/C (59W)	TL	718570
120/70 ZR 18 M/C (59W)	TL	716063
160/60 R 18 M/C 70V	TL	397891
120/70 ZR 19 M/C 60W	TL/TT	054571
130/60 B 21 M/C 63H	TL	471253

REAR

Size	TL/TT	CAI
140/75 R 15 M/C 65H	TL	232516
150/60 ZR 17 M/C (66W)	TL	559849
150/70 ZR 17 M/C (69W)	TL	393291
180/55 R 17 M/C (73W)	TL	206030
200/55 R 17 M/C 78V	TL	627088
240/40 R 18 M/C 79V	TL	897924



MICHELIN SCORCHER 21

The Cruiser look with agility and wet grip for the Harley-Davidson® Street Rod™ model



BUILT FOR EXCELLENT GRIP ON WET SURFACES

MICHELIN Silica Technology: The mix of silica-rich rubber compounds provide excellent grip on wet surfaces.



FRONT

Size	TL/TT	CAI
120/70 R 17 M/C 58V	TL	163575

REAR

Size	TL/TT	CAI
160/60 R 17 M/C 69V	TL	624733



MICHELIN SCORCHER 31

The Original Equipment MICHELIN® tire
for performance and even tread wear



CRUISE WITH CONFIDENCE

Know-how from Michelin's decades of road experience, provides good grip on both wet and dry roads.



DESIGNED FOR COMFORT AND HANDLING

A supple casing design and an adapted profile promote nimble handling on winding roads.



ORIGINAL EQUIPMENT

HARLEY-DAVIDSON®: LOW RIDER S (FXLRS), LOW RIDER ST (FXLRST), SPORT GLIDE

MICHELIN
CARBON BLACK
TECHNOLOGY



MICHELIN
ARAMID SHIELD
TECHNOLOGY



MICHELIN
BIAS BELTED
TECHNOLOGY



FRONT

Size	TL/TT	CAI	Tube (CAI)
130/90 B 16 M/C 73H REINF	TL/TT	359328	16MI TALC HD (236127) 16MI 2171 (099604) 16MI2 TALC HD (730243) 16MI2 (959484)
130/80 B 17 M/C 65H	TL/TT	682482	17MH (166806)
130/70 B 18 M/C 63H	TL/TT	559098	18MG (410943)
100/90 B 19 M/C 57H	TL/TT	986404	19MF HD TALC (554214)
110/90 B 19 M/C 62H	TL	569118	
130/60 B 19 M/C 61H	TL/TT	605796	19MF HD TALC (554214)
80/90 - 21 M/C 54H REINF	TL/TT	705949	21MD (206108)

REAR

Size	TL/TT	CAI	Tube (CAI)
150/80 B 16 M/C 77H REINF	TL/TT	193056	16MI2 (959484)
180/65 B 16 M/C 81H REINF	TL/TT	781067	
180/70 B 16 M/C 77H	TL	718252	
160/70 B 17 M/C 73V	TL/TT	825755	17MI HD (099768)
180/60 B 17 M/C 75V	TL/TT	460388	17MI (899702)