

SPORT & ROAD

TRAIL

	ROAD	TYPE
MICHELIN RANGES	ROAD	OFF-ROAD
ROAD 6		
ANAKEE ROAD		
ANAKEE III		
ANAKEE ADVENTURE		
ANAKEE WILD		

ROAD 6

The new must-have MICHELIN road tire



THE NEW VERSION OF THE ACCLAIMED MICHELIN ROAD TIRE(1)

The MICHELIN Road 6 benefits from 2 decades of constant innovation and the highest levels of expertise.



MORE WET GRIP!

+15% more grip than MICHELIN Road 5⁽²⁾ in wet conditions thanks to 100% Silica Technology and a brand new tread pattern.




RIDE FOR LONGER!

The new high tech compound increases the longevity of the tire by 10%⁽³⁾.









ORIGINAL EQUIPMENT HONDA: CB500F/ CBR500R MY 24 / CB750 HORNET MY 24













FRONT Size CAI TI /TT 110/70 7R 17 M/C 54W 618469 ΤI 110/80 ZR 19 M/C (59W) 055466 TL 120/60 ZR 17 M/C (55W) 009349 TL 120/70 ZR 17 M/C (58W) TΙ 830256 120/70 7R 18 M/C (59W) 411606 TΙ 120/70 ZR 19 M/C (60W) TL 749529

		KLAK
Size	TL/TT	CAI
140/70 ZR 17 M/C 66W	TL	782021
150/60 ZR 17 M/C 66W	TL	818332
150/70 ZR 17 M/C (69W)	TL	313146
160/60 ZR 17 M/C (69W)	TL	834270
170/60 ZR 17 M/C (72W)	TL	774473
180/55 ZR 17 M/C (73W)	TL	159304
190/50 ZR 17 M/C (73W)	TL	599184
190/55 ZR 17 M/C (75W)	TL	579939

(1) Recommended by 91% of MICHEUN Road a users. Verified reviews, December 2020 - June 2021s.
According to MOTORRAD Magazine 07/2023. MICHEUN Road 6 is awarded by the daily lifehour purchase tip at the test including BRIDGESTONE 5.22, CONTINENTAL Continuation ZJM, CST CM-615/616, DUNILOP GPR-300, METZELER M9 RR and MICHEUN Road 6. This test was conducted with the dimensions: 1107/0 8.1 / Tip (roan) and 150/06 8.1 / Teach on a KTM 390 Duke. The test has been conducted at the Bridgestone wet test track in Nettuno. The MICHEUN Road 6 came first on dry in maneuverability, in curves and sceleration and in Jeedback.
(2) In-house companisons of the MICHEUN Road 5 ites and MICHEUN Road 6 ites, not a MICHEUN

ANAKEE ROAD

On-Road tire specifically designed for trail motorcycles



OPTIMIZED WET GRIP FOR CONFIDENT RIDING⁽¹⁾

Ride confidently and feel connected to the road in wet conditions⁽¹⁾.




EXTENDED EXPLORATION FOR TRAIL RIDERS

Take your road adventure the extra mile a long lasting center tread compound.



RELIABLE ON-ROAD STABILITY

Built for stability in all conditions, giving you a more confident ride.













FRONT			
Size	TL/TT	CAI	Tube (CAI)
110/80 R 19 M/C 59V	TL/TT	598382	19MF (032532)
120/70 R 19 M/C 60V	TL/TT	454924	19MF (032532)
120/70 ZR 19 M/C 60W	TL/TT	184399	19MF(032532)
90/90 - 21 M/C 54V	TL/TT	659259	21MD (206108)

			REAR
Size	TL/TT	CAI	Tube (CAI)
150/70 R 17 M/C 69V	TL/TT	279964	17MI (899702)
170/60 R 17 M/C 72V	TL/TT	167820	17MI (899702)
170/60 ZR 17 M/C 72W	TL/TT	560344	17MI (899702)
150/70 R 18 M/C 70V	TL/TT	064845	18MG (410943)

ANAKEE III

The trail tire designed for mostly road use that still performs Off-Road





DRY AND WET GRIP

Its innovative tread incorporating 3D indentations provides good dry or wet grip.





ORIGINAL EQUIPMENT BMW: F750 GS











FRONT			
Size	TL/TT	CAI	Tube (CAI)
110/80 R 19 M/C 59V	TL/TT	004703	19MF (032532)
120/70 R 19 M/C 60V	TL/TT	258411	19MF (032532)
90/90 - 21 M/C 54V	TI /TT	1189/11	21MD (206108)

Size	TL/TT	CAI	Tube (CAI)	
150/70 R 17 M/C 69V	TL/TT	587206	17MI (899702)	
170/60 R 17 M/C 72V	TL/TT	280499		

M+S ANAKEE ADVENTURE

Designed for on-road and path use





ENHANCED GRIP

The MICHELIN 2CT Technology and MICHELIN 2CT+ Technology combined with the MICHELIN Silica Technology, provide good dry and wet grip.



REMARKABLE HANDLING AND STABILITY

The new profile of the MICHELIN Anakee Adventure tire enhances handling when cornering, straightline stability and riding enjoyment. Tire approved by BMW for the R1300 GS.



FOR ON-ROAD AND OFF-ROAD USE

The tread void ratio, grooved tread pattern and M+S marking make it equally at home On-Road and Off-Road.



ROAD OFF-ROAD

ORIGINAL EQUIPMENT BMW: R1300 GS CHUNFEBG: MT-800. HONDA: AFRICA TWIN
MOTO GUZZI: V85 TT, STELVIO
TRIUMPH: TIGER 850 SPORT, TIGER 900 GT **ZONTES:** 703F ET 703L













FRONT

Size	TL/TT	CAI	Tube (CAI)
120/70 R 17 M/C 58V	TL/TT	585294	17MG (306786)
110/80 R 18 M/C 58V	TL/TT	920596	18MF (929348), 18MG (410943)
100/90 - 19 M/C 57V	TL/TT	034151	19MF (032532)
110/80 R 19 M/C 59V	TL/TT	580026	19MF (032532)
120/70 R 19 M/C 60V	TL/TT	993727	19MF (032532)
90/90 - 21 M/C 54H	TL/TT	621812	21MD (206108)
90/90 - 21 M/C 54V	TL/TT	294501	21MD (206108)

			REAR
Size	TL/TT	CAI	Tube (CAI)
130/80 R 17 M/C 65H	TL/TT	688509	17MH (166806)
140/80 R 17 M/C 69H	TL/TT	156429	17MI (899702)
150/70 R 17 M/C 69V	TL/TT	429465	17MI (899702)
160/60 R 17 M/C 69V	TL/TT	462141	17MHR (335733)
170/60 R 17 M/C 72V	TL/TT	139513	17MI (899702)
180/55 R 17 M/C 73V	TL/TT	845259	16MI (236127)
150/70 R 18 M/C 70H	TL/TT	392493	18MG (410943)
150/70 R 18 M/C 70V	TL/TT	966727	18MG (410943)



M+S ANAKEE WILD

The most adventurous of our trail tires



VERY PRECISE STEERING

MICHELIN Radial-X Technology, used for the first time on a Michelin knobbly tire, makes for On-Road stability and rider comfort.



LONG LASTING

Its optimised tread depth and new compound mix ensure this tire is long lasting.



RESISTANCE TO DAMAGE

Its reinforced radial technology casing makes this tire extremely resistant to damage.





ORIGINAL EQUIPMENT FANTIC: CABALLERO RALLYE, ENDURO XE 50 HARLEY-DAVIDSON®: PANAMERA - OPTIONNAL FITMENT



CAN THE MICHELIN ANAKEE WILD TIRE BE MIXED WITH THE MICHELIN ANAKEE III TIRE? NO, THESE TWO RANGES CANT BE MIXED SINCE THEY WERE DEVELOPED FOR VERY DIFFERENT RIDING CONDITIONS.

IS THERE A SPECIFIC TIRE PRESSURE FOR OFF-ROAD USE?

NO, MICHELIN RECOMMENDS USING REGULAR TIRE PRESSURE. FURTHERMORE, BMW DOESN'T HAVE ANY ALTERNATIVE TIRE PRESSURE RECOMMENDIONS FOR OFF ROAD USE ON THE R1200 GS MODELS FOR EXAMPLE.











EPONT

7 11 01 11				
Size	TL/TT	CAI	Tube (CAI)	
80/90 21 M/C 48S	TT	270232	21MD (206108)	
90/90 21 M/C 54R	TL/TT	585707	21MD (206108)	
110/80 R 19 M/C 59R	TL/TT	884521	19MF (032532)	
120/70 R 19 M/C 60R	TL/TT	132247	19MF (032532)	

			REAR
Size	TL/TT	CAI	Tube (CAI)
130/80 17 M/C 65R	TL/TT	036642	17MH (166806)
140/80 17 M/C 69R	TL/TT	722565	17MI (899702)
150/70 R 17 M/C 69R	TL/TT	932033	17MI (899702)
170/60 R 17 M/C 72R	TL/TT	999843	17MI (899702)
110/80 18 M/C 58S	TT	541241	18MF (929348), 18MG (410943)
120/80 18 M/C 62S	TT	538764	18MF (929348), 18MG (410943)
130/80 - 18 M/C 66S	П	821657	18MG (410943) 18MGR (795250) 18MFR (830920)
140/80 18 M/C 70R	TL/TT	716077	18MGR (795250)
150/70 R 18 M/C 70R	TL/TT	348562	18MG (410943)

